

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S98	45	S97 and (bit near3 (allocat\$ assign\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:07
S97	439	(382/162,166,232-253;358/3.01-3.09,426.01-426.16.ccls.) and @pd>="20051001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 13:06
S31	846	358/3.01-3.09.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:33
S30	6541	382/162,166,232-253.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:33
S92	9	((allocat\$3 assign\$4 quanti\$6) same DC same AC same (ref1arrang5 ref\$1organiz\$5 sequenc\$3 ref\$1sequenc\$3)).clm. <i>Interference Search</i>	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:28
S91	68	(bit near3 (allocat\$3 assign\$4 quanti\$6)) with DC with AC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/17 11:26
S90	2	("4652935").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 12:46

S89	1	(fax facsimile) with (bit\$1plane near3 encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 12:46
S88	20	DCT with (bit\$1plane near3 encod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 12:44
S82	24	DCT with (fax facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 12:07
S87	6	S85 and (fax facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 10:00
S85	7	((("5945930") or ("5379070") or ("5422736")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 09:59
S83	21	("5945930" "5379070" "5422736") and (fax facsimile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 09:59
S81	68	DCT with ((uniform "same" identical) with ((quant\$1ation adj1 step) gradation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 09:21



[Subscribe \(Full Service\)](#)

[Register \(Limited Service, Free\)](#) [Login](#)

USPTO

Search: [The ACM Digital Library](#) [The Guide](#)

[bit allocate DC AC](#)

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [bit allocate DC AC](#)

Found **10,807** of **169,166**

Sort results by
Display results

[Save results to a Binder](#)

Try an [Advanced Search](#)

[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 200
Best 200 shown

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [The directory-based cache coherence protocol for the DASH multiprocessor](#)

[Daniel Lenoski](#), [James Laudon](#), [Kourosh Gharachorloo](#), [Anoop Gupta](#), [John Hennessy](#)

May 1990 ACM SIGARCH Computer Architecture News , Proceedings of the 17th annual international symposium on Computer Architecture ISCA '90, Volume 18 Issue 3a

Publisher: ACM Press

Full text available: [pdf\(1.74 MB\)](#) [Additional Information: full citation, abstract, references, citings, index terms](#)

DASH is a scalable shared-memory multiprocessor currently being developed at Stanford's Computer Systems Laboratory. The architecture consists of powerful processing nodes, each with a portion of the shared-memory, connected to a scalable interconnection network. A key feature of DASH is its distributed directory-based cache coherence protocol. Unlike traditional snoopy coherence protocols, the DASH protocol does not rely on broadcast; instead it uses point-to-point messages sent between th ...

2 [Multimedia: Trade-offs in bit-rate allocation for wireless video streaming](#)

[Vladimir Vukadinović](#), [Gunnar Karlsson](#)

❖ **October 2005 Proceedings of the 8th ACM international symposium on Modeling, analysis and simulation of wireless and mobile systems MSWiM '05**
Publisher: ACM Press

Full text available:  [pdf\(342.30 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One of the central problems in video transmission over lossy channels is the choice of source and channel coding rates to allocate the available transmission rate optimally. In this paper, we present a structural distortion model for video streaming over time-varying fading channels. Based on this model we study the average video distortion for various bit-rate allocation strategies and channel conditions. We argue that sensitivity to channel variations should be one of the selection criteria wh ...

Keywords: bit-rate allocation, perceptual distortion, video streaming

3 [Constant time permutation: an efficient block allocation strategy for variable-bit-rate continuous media data](#)

Yueh-Min Huang, Jen-Wen Ding, Shiao-Li Tsao

April 1999 **The VLDB Journal – The International Journal on Very Large Data Bases**, Volume 8 Issue 1

Publisher: Springer-Verlag New York, Inc.

Full text available:  [pdf\(204.04 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

To provide high accessibility of continuous-media (CM) data, CM servers generally stripe data across multiple disks. Currently, the most widely used striping scheme for CM data is round-robin permutation (RRP). Unfortunately, when RRP is applied to variable-bit-rate (VBR) CM data, load imbalance across multiple disks occurs, thereby reducing overall system performance. In this paper, the performance of a VBR CM server with RRP is analyzed. In addition, we propose an efficient striping scheme cal ...

Keywords: Continuous-media server, Data placement, Load balancing, Striping, Video-on-demand (VOD)



Welcome United States Patent and Trademark Office


Search Results

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT

Results for "((bit allocate<and>ac)<and>dc) <and> (pyr >= 1950 <and> pyr <= 2001))"

Your search matched 38 of 1302021 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)

[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

1-25 | 26-38



1. OFDM-based turbo-coded hierarchical and non-hierarchical terrestrial mobile digital video broadcasting

Chee-Siong Lee; Keller, T.; Hanzo, L.; Broadcasting, IEEE Transactions on Volume 46, Issue 1, March 2000 Page(s):1 - 22 Digital Object Identifier 10.1109/11.845861

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(640 KB) IEEE JNL



2. New directions in subband coding

Cox, R.V.; Gay, S.L.; Shoham, Y.; Quackenbush, S.R.; Seshadri, N.; Jayant, N.S.; Selected Areas in Communications, IEEE Journal on Volume 6, Issue 2, Feb. 1988 Page(s):391 - 409 Digital Object Identifier 10.1109/49.615

[AbstractPlus](#) | Full Text: [PDF](#)(1896 KB) IEEE JNL



3. Variable block-size transform image coder

Dinstein, I.; Rose, K.; Heiman, A.; Communications, IEEE Transactions on Volume 38, Issue 11, Nov. 1990 Page(s):2073 - 2078 Digital Object Identifier 10.1109/26.61489

[AbstractPlus](#) | Full Text: [PDF](#)(788 KB) IEEE JNL



4. Statistical distributions of DCT coefficients and their application to an interframe compression algorithm for 3-D medical images

Lee, H.; Kim, Y.; Rowberg, A.H.; Riskin, E.A.;
 Medical Imaging, IEEE Transactions on
 Volume 12, Issue 3, Sept. 1993 Page(s):478 - 485
 Digital Object Identifier 10.1109/42.241875
[AbstractPlus](#) | Full Text: [PDF](#)(732 KB) IEEE JNL

- ☐ 5. **Video aggregation: adapting video traffic for transport over broadband networks by integrating data compression and statistical multiplexing**

Liew, S.C.; Chi-Yin Tse;
 Selected Areas in Communications, IEEE Journal on
 Volume 14, Issue 6, Aug. 1996 Page(s):1123 - 1137
 Digital Object Identifier 10.1109/49.508283

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1964 KB) IEEE JNL

- ☐ 6. **Low bit-rate coding of image sequences using adaptive regions of interest**

Doulamis, N.; Doulamis, A.; Kalogeras, D.; Kollias, S.;
 Circuits and Systems for Video Technology, IEEE Transactions on
 Volume 8, Issue 8, Dec. 1998 Page(s):928 - 934
 Digital Object Identifier 10.1109/76.736718

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(356 KB) IEEE JNL

- ☐ 7. **Transport of wireless video using separate, concatenated, and joint source-channel coding**

van Dyck, R.E.; Miller, D.J.;
 Proceedings of the IEEE
 Volume 87, Issue 10, Oct. 1999 Page(s):1734 - 1750
 Digital Object Identifier 10.1109/5.790634

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(312 KB) IEEE JNL

- ☐ 8. **IEEE standard for a high performance serial bus**
 IEEE Std 1394-1995
 30 Aug. 1996

[AbstractPlus](#) | Full Text: [PDF](#)(4648 KB) IEEE STD

- ☐ 9. **Image data compression: A review**

Jain, A.K.;
 Proceedings of the IEEE
 Volume 69, Issue 3, March 1981 Page(s):349 - 389

[AbstractPlus](#) | Full Text: [PDF](#)(6143 KB) IEEE JNL

- ☐ 10. **Performance of state regulator systems with floating-point computation**

Rink, R.; Hoi Chong;
 Automatic Control, IEEE Transactions on
 Volume 24, Issue 3, Jun 1979 Page(s):411 - 421

[AbstractPlus](#) | Full Text: [PDF](#)(992 KB) IEEE JNL

Home » Advanced Search » Search Results

SEARCH DIGITAL LIBRARY

[Start New Search | Searching Hints]

You were searching for : (((bit allocate) <and>(compress)) <and>(coefficient))) <AND> usdate <=30-jun-2001

No documents found for your query.

Search

Advanced Search

BROWSE PROCEEDINGS

- » Proceedings
- » By Year
- » By Symposium
- » By Volume No.
- » By Volume Title
- » By Technology

BROWSE JOURNALS

- » Journals
- » Optical Engineering
- » J. Electronic Imaging
- » J. Biomedical Optics
- » J. Microlithography, Microfabrication, and Microsystems

SUBSCRIPTIONS & PRICING


- » Institutions & Corporations
- » Personal subscriptions

GENERAL INFORMATION

- » About the Digital Library
- » Terms of Use
- » SPIE Home

[home](#) | [proceedings](#) | [journals](#)

[Terms of Use](#) | [Privacy Policy](#) | [Contact](#)



© 1994 – 2006